


TECHNISCHE INFORMATIE :

Type	: GGG
Breedte	: <input type="checkbox"/> 65 cm <input type="checkbox"/> 80 cm <input type="checkbox"/> 100 cm <input type="checkbox"/> 120 cm
Volume	: <input type="checkbox"/> 350 L <input type="checkbox"/> 430 L <input type="checkbox"/> 540 L <input type="checkbox"/> 630 L
Gewicht	: <input type="checkbox"/> 300 kg <input type="checkbox"/> 350 kg <input type="checkbox"/> 400 kg <input type="checkbox"/> 450 kg
Maximale werkdruk	: 180 Bar
Maximale hijslast	: 20 kN






© 2010 Bakker Hydraulic Products BV
Nijverheidsweg 6
6662 NG Elst (Gld) Holland

Tel : + 31 481 374757

Fax : + 31 481 375280

Site : www.bakker-hydraulic.com

E-mail : info@bakker-hydraulic.com



© 2010 Bakker Hydraulic Products BV
Nijverheidsweg 6
6662 NG Elst (Gld) Holland

Tel : + 31 481 374757

Fax : + 31 481 375280

Site : www.bakker-hydraulic.com

E-mail : info@bakker-hydraulic.com

Pos.	Type	Aantal	Omschrijving
14	2121010	1	Cilinder
15	2121011	1	Cilinderbuis
16	2121012	1	Zuigerstang
17	2121013	1	Zuiger
18	2121014	1	Moer
19	2121015	1	Afdichtingsset
32	2121650	2	Mes GGG 65
33	2121800	2	Mes GGG 80
34	2121100	2	Mes GGG 100
35	2121120	2	Mes GGG 120
36	2174002	8	Inspanbus
37	2174003	4	Inspanbus
45	2121042	2	Pen (30 mm)
46	2121043	2	Pen (30 mm)
49	2121046	2	Pen (30 mm)
51	2121048	1	Pen (30 mm)
53	2173051	3	Spanstift (8x50)
55	2110050	2	Snelkoppeling 1/2" male
	2181450		Bout (M14 x 50)
57	2110052	2	Snelkoppeling 3/8" male
58	2111080	1	Aansluitbus (78/30)
59	2121081	1	Aansluitbus (69/30)
60	2121082	1	Aansluitbus (59/30)

© 2010 Bakker Hydraulic Products BV
Nijverheidsweg 6
6662 NG Elst (Gld) Holland

Tel : + 31 481 374757

Fax : + 31 481 375280

Site : www.bakker-hydraulic.com

E-mail : info@bakker-hydraulic.com